

FIG. 1




FIG. 2




FIG.3

	TRANSMISSION INFORMATION FORMAT	TRANSMISSION DESTINATION	CONNECTION DESTINATION
USER A	e-mail	aaa@mail.com	INTERNET
USER B	FAX	0123-45-6789	PUBLIC NETWORK
USER C	CELLULAR TELEPHONE	090-1234-5678	PUBLIC NETWORK
⋮	⋮	⋮	⋮

FIG.4




FIG.5




FIG.6

300





FIG.7



[illegible]

2

**
**

— 322

 |

```
○○○○○○○○○○○○○○○○○○○○○○○○○○○○○<br>
```

[illegible][illegible][illegible]

| | |
 |

△△△△△△△△△△

XXXXXXXXXXXX

○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○

[illegible][illegible]

</BODY>

</HTML>

[illegible]

FIG.10

340

<HEAD>

<SCRIPT LANGUAGE="JavaScript">

var sample_dataconv_cgi = "http://sample.com/cgi-bin/func.cgi"

```
function sample_showbutton(btn) {
    btn.style.display = " "
}
```

342

```
function sample_hidebutton(btn) {
    btn.style.display = "none"
}
```

344

```
function sample_showrange(prg) {
    prg.style.backgroundColor = "LightGoldenrodYellow"
}
```

346

```
function sample_hiderange(prg) {
    prg.style.backgroundColor = " "
}
```

348

```
function sample_getcontent(prg) {
    var str = escape(prg.innerText);
    location =
    sample_dataconv_cgi+"?DATA="+str+"&USR=chiba&BRW=pc&URL=http://
    tokkyo/tokkyo.htm";
}
```

350

</SCRIPT>

<STYLE TYPE="text/css">

```
SPAN.paragraph{ }
SPAN.funcpupbtn{ position:absolute; z-index:9999 }
```

</STYLE>

352

<TITLE>sample</TITLE></HEAD>

FIG.11

360

```
<BODY>
<CENTER>
```

```
<br>
<IMG SRC="sample.gif"><br><br>
<br>
```

```
<table>
<tr>
<td>
```

362

```
<SPAN id="prg0" class="paragraph"
onmouseover="tscom_showbutton(btn0)"
onmouseout="tscom_hidebutton(btn0)">
```

```
<SPAN id="btn0" class="funcpupbtn" STYLE="display:none"
onmouseover="tscom_showrange(prg0)"
onmouseout="tscom_hiderange(prg0)"
onmouseup="tscom_getcontent(prg0)"
<IMG src="btn.gif">
</SPAN>
```

364

```
△△△△△△△△△△ <br>
○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
```

366

```
</SPAN>
```

```
</td>
</tr>
</table>
<br>
```

```
<table>
<tr>
<td>
```

368

```
<SPAN id="prg1" class="paragraph"
onmouseover="tscom_showbutton(btn1)"
onmouseout="tscom_hidebutton(btn1)">
```

```
<SPAN id="btn1" class="funcpupbtn" STYLE="display:none"
onmouseover="tscom_showrange(prg1)"
onmouseout="tscom_hiderange(prg1)"
onmouseup="tscom_getcontent(prg1)"
<IMG src="btn.gif">
</SPAN>
```

370

```
△△△△△△△△△△ <br>
○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
```

372

```
</SPAN>
```

```
</td>
</tr>
</table>
<br>
```

```
</BODY>
```


FIG. 13




FIG. 14




FIG. 15




FIG. 16

500

<HEAD>

<SCRIPT LANGUAGE="JavaScript">

var sample_mailconv_cgi = "http://sample.com/cgi-bin/mail.cgi";

var sample_faxconv_cgi = "http://sample.com/cgi-bin/fax.cgi";

502

function sample_showbutton(btn,btning) {

var idx = document.select.func.selectedIndex;

var val = document.select.func.options[idx].value;

504

if(val == "mail"){

btning.src = "mail.gif";

}

else if(val == "fax"){

btning.src = "fax.gif";

506

}

btn.style.display = " ";

508

function sample_hidebutton(btn) {

btn.style.display = "none";

510

function sample_showrange(prg) {

prg.style.backgroundColor = "LightGoldenrodYellow";

512

}

function sample_hiderange(prg) {

prg.style.backgroundColor = " ";

514

}

function sample_getcontent(prg) {

var idx = document.select.func.selectedIndex;

var val = document.select.func.options[idx].value;

518

var str = escape(prg.innerText);

516

if(val == "mail"){

location =

sample_mailconv_cgi+"?DATA="+str+"&USR=chiba&BRW=pc&URL=http://tokkyo/tokkyo.htm";

}

else if(val == "fax"){

location =

sample_faxconv_cgi+"?DATA="+str+"&USR=chiba&BRW=pc&URL=http://tokkyo/tokkyo.htm";

520

}

}

</SCRIPT>

522

<STYLE TYPE="text/css">

SPAN.paragraph{ }

SPAN.funcpupbtn{ position:absolute; z-index:9999 }

</STYLE>

<TITLE>sample</TITLE></HEAD>

FIG. 17

530

```

<BODY>
<FORM NAME="select">
  <SELECT NAME="func">
    <OPTION VALUE="mail">mail
    <OPTION VALUE="fax">fax
  </SELECT>
</FORM>
<CENTER>

<br>
<IMG SRC="sample.gif"><br><br>
<br>

<table>
<tr>
<td>
  <SPAN id="prg0" class="paragraph"
    onmouseover="sample_showbutton(btn0,btnimg0)"
    onmouseout="sample_hidebutton(btn0)">
  <SPAN id="btn0" class="funcpupbtn" STYLE="display:none"
    onmouseover="sample_showrange(prg0)"
    onmouseout="sample_hiderange(prg0)"
    onmouseup="sample_getcontent(prg0)">
  <IMG src="mail.gif" name="btnimg0">
  </SPAN>
  ΔΔΔΔΔΔΔΔΔΔ <br>
  ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
  ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
  ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
  ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
</SPAN>

</td>
</tr>
</table>
<br>

<table>
<tr>
<td>
  <SPAN id="prg1" class="paragraph"
    onmouseover="sample_showbutton(btn1,btnimg1)"
    onmouseout="sample_hidebutton(btn1)">
  <SPAN id="btn1" class="funcpupbtn" STYLE="display:none"
    onmouseover="sample_showrange(prg1)"
    onmouseout="sample_hiderange(prg1)"
    onmouseup="sample_getcontent(prg1)">
  <IMG src="mail.gif" name="btnimg1">
  </SPAN>
  ΔΔΔΔΔΔΔΔΔΔ <br>
  ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
  ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
  ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
  ○○○○○○○○○○○○○○○○○○○○○○○○○○○○○ <br>
</SPAN>

</td>
</tr>
</table>
<br>
</BODY>

```

FIG. 17

FIG. 18

